Georgia-Pacific
ForceField®
WEATHER BARRIER SYSTEM

THE SMARTER SHEATHING SYSTEM

FOR RESIDENTIAL BUILDS

LEAVE NOTHING TO CHANCE

Stay ahead of time, labor and weather issues with ForceField® Weather Barrier System.

While you can't control the weather, you can control the quality of your builds and greatly reduce the number of times you get called back to a job to handle repairs from water damage.

Georgia-Pacific, the leader in building products, brings you ForceField® Weather Barrier System, the all-in-one smarter sheathing system that delivers a superior level of protection against air and water intrusion.

ForceField® engineered wood sheathing panels with an enhanced overlay and accessories create a continuous WRB/AB system that gives you confidence in a job done right.

Protect your builds, no matter what you're up against.

HEAVY RAINS **AIR LEAKAGE** **LABOR SHORTAGES**

START STRONG WITH SHEATHING



ForceField® Panels

ForceField® Panels help keep water out without affecting the permeability of the panel itself, allowing water vapor to escape and promote drying.

- 3-in-1 solution consisting of structural sheathing, moisture-resistant resins and an enhanced overlay
- Install like standard OSB or plywood sheathing
- Use DryGuard® Technology to provide enhanced moisture resistance
- Exceptional drainage capability
- Use with accessories for a smarter sheathing system that helps to keep builds dry and energy efficient
- Ideal for residential, multifamily and light commercial construction
- Available in 3 lengths to help installation move quickly
- 6 months' exposure to normal weather conditions

Sizes: 8' | 9' | 10'

ADD ACCESSORIES TO COMPLETE THE SYSTEM

ForceField® Seam Tape Plus

This high-quality, pressure-sensitive seam tape is recommended for treating joints on all of your builds to maintain the continuity of the air and moisture barrier.

- Proprietary adhesive technology on a high-performance polypropylene film
- Thin and easy to work with, yet durable and strong
- Offers excellent tear and impact resistance
- Can be used to treat penetrations and rough openings
- UV- and weather-resistant
- Over 600% elongation per ASTM D1970, allowing for movement

Roll Size: 3.5" wide x 90' long
Thickness: Minimum 0.006"
Packaging: 12 rolls per case

ForceField® Flex Flashing Tape

This conformable, peel-and-stick flashing tape wraps easily around windows and other curved and rough openings. It is ideal for use on curved openings and window sill pan flashing.

- Two-ply oriented high-density film mated to a premium butyl rubber adhesive and release sheet
- High-performance butyl is designed to maintain the continuity of the air- and water-resistive barrier

Roll Sizes:
6" wide x 75' long
9" wide x 75' long
Thickness: Minimum 0.012"
Packaging: 2 rolls per case

For complete list of accessories please visit gpforcefield.com.

Visit gpforcefield.com or call 800-284-5347 to learn how ForceField® Weather Barrier System fits the unique needs of your residential builds.



Georgia-Pacific
ForceField®
WEATHER BARRIER SYSTEM

gpforcefield.com
800-284-5347

Georgia-Pacific, ForceField and the GP and ForceField logos are trademarks owned by or licensed to Georgia-Pacific Wood Products LLC.
©2020 Georgia-Pacific Wood Products LLC. All rights reserved.
GP-TM. Lit Item# 622028