# ToughRock® Fire Resistant Gypsum Board by Georgia-Pacific

**Health Product Declaration v2.2** 

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 26724** 

CLASSIFICATION: 09 56 13 Gypsum-Panel Textured Ceilings

PRODUCT DESCRIPTION: This HPD covers the following ToughRock® Fire Resistant Gypsum Boards: ToughRock® Fireguard® X 45 Gypsum Board, ToughRock® Fireguard® X 45 Stretch 54 Gypsum Board, ToughRock® Fireguard® X Gypsum Board, ToughRock® Fireguard® X Stretch 54 Gypsum Board, ToughRock® Fireguard® C Gypsum Board, ToughRock® Fireguard® C Stretch 54 Gypsum Board, ToughRock® Sound Deadening Board, ToughRock® Fireguard® X Veneer Base Board, ToughRock® Fireguard® C Soffit Board, and ToughRock® Shaftliner. Made of fire-rated gypsum boards with paper-facings on the front, back, and long edges which are tapered or squared, these gypsum boards are used on interior walls and ceilings and exterior walls and soffit applications where fire protection is required.

# Section 1: Summary

# **Basic Method / Product Threshold**

### **CONTENT INVENTORY**

**Inventory Reporting Format** 

- C Nested Materials Method
- Basic Method

**Threshold Disclosed Per** 

- Material
- Product

**Threshold Level** 

- C 100 ppm
- ⊙ 1,000 ppm
- O Per GHS SDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized ⊙ Yes Ex/SC ○ Yes ○ No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened 

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified

○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

TOUGHROCK® FIRE RESISTANT GYPSUM BOARD [ UNDISCLOSED CHEMICAL LT-P1 | MUL SC:CELLULOSE PULP Not Screened STARCH LT-UNK ETHYL ACETATE LT-UNK | PHY | EYE ETHANOL BM-2 | CAN | END | DEV | PHY | REP ACETONE LT-P1 | END | DEV | PHY | EYE DL-TARTARIC ACID LT-UNK UNDISCLOSED CHEMICAL LT-UNK PENTASODIUM PENTETATE LT-P1 | MUL POTASSIUM SULFATE LT-UNK UNDISCLOSED CHEMICAL NoGS UNDISCLOSED CHEMICAL LT-P1 | MUL CALCIUM SULFATE DIHYDRATE LT-UNK FIBERGLASS LT-UNK BORIC ACID LT-1 | END | REP | DEV | MUL GLUCOSE BM-3 AMMONIUM SULFATE LT-P1 | END CALCIUM LIGNOSULFONATE LT-**UNK WATER BM-4 VERMICULITE NoGS UNDISCLOSED CHEMICAL LT-**UNK UNDISCLOSED CHEMICAL LT-UNK QUARTZ BM-1 | CAN FLY ASH LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

Georgia-Pacific worked with the HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

VOC emissions: UL/GreenGuard Gold Certified

## **CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified?

Yes

O No

PREPARER: ToxServices LLC

VERIFIER:

**VERIFICATION #:** 

**SCREENING DATE: 2021-10-13 PUBLISHED DATE: 2021-12-13** EXPIRY DATE: 2024-10-13



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

## **TOUGHROCK® FIRE RESISTANT GYPSUM BOARD**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Georgia-Pacific worked with the HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

OTHER PRODUCT NOTES:

UNDISCLOSED CHEMICAL					ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-10-13 12:17:17	
%: 0.0000 - 0.7500	GS: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE:	Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		
MUL German FEA - Substances Hazardous Waters		s to Cla	ass 2 - Hazard to	Waters	

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance. 3

SC:CELLULOSE PULP				ID: SC:Bio
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DA	TE: Not Screened
%: 0.0000 - 1.8600	GS: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS	

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials Identifier: Cellulose, CAS# 65996-61-4

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

STARCH				ID: 9005-25-8	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-11-03 8:29:26			
%: 0.0000 - 0.1800	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS		
None found			No v	warnings found on HPD Priority Hazard Lists	

**ETHANOL** 

ETHYL ACETATE ID: 141-78-6

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 20	021-10-13 12:17:14
%: 0.0000 - 0.1250	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Ink
HAZARD TYPE	AGENCY AND LIST TITLES	V	/ARNINGS	
PHY	EU - GHS (H-Statements)	H225 - Highly flammable liquid liquids - Category 2]		ble liquid and vapour [Flammable
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
SUBSTANCE NOTES:				

ETHAROE				15. 04 11
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DATE:	2021-10-13 12:14:55
%: 0.0000 - 0.4050	GS: <b>BM-2</b>	RC: None	NANO: No	SUBSTANCE ROLE: Ink
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	CA EPA - Prop 65		Carcinogen - speci	fic to chemical form or exposure route
END	TEDX - Potential Endocrine Disruptor	'S	Potential Endocrine	e Disruptor
CAN	IARC		Group 1 - Agent is	Carcinogenic to humans
CAN	MAK		Carcinogen Group slight risk under Ma	5 - Genotoxic carcinogen with very AK/BAT levels
DEV	CA EPA - Prop 65		Developmental - sproute	pecific to chemical form or exposure
CAN	GHS - Japan		H350 - May cause	cancer [Carcinogenicity - Category 1A]
РНҮ	EU - GHS (H-Statements)		H225 - Highly flamr liquids - Category 2	mable liquid and vapour [Flammable 2]
REP	GHS - Japan		H360 - May damag reproduction - Cate	e fertility or the unborn child [Toxic to egory 1A]

SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-2 was provided through the HPD 2.2 Builder Tool.

ACETONE					ID: 67-64-1
HAZARD SCREENING METHOD: Phare	os Chemical and Materials Library	HAZARD SCRI	EENING DATE: 2	2021-10-13 12:14:12	
%: 0.0000 - 0.4500	GS: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Ink	

ID: 64-17-5

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEV	MAK	Pregnancy Risk Group B
PHY	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]

SUBSTANCE NOTES:

DL-TARTARIC ACID					ID: 133-37-9
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: <b>2021-10-13 12:13:05</b>	
%: 0.0000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Tensile stre	ngth additive
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found			N	lo warnings found on HPD Priority	Hazard Lists

SUBSTANCE NOTES:

UNDISCLOSED CHEMICAL					ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-10-13 12:12:27	
%: 0.0000 - 0.1500	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: I	Blowing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS		
None found			No warı	nings found on HPD Price	ority Hazard Lists

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance. 6

PENTASODIUM PENTETATE				ID: 140-01-2
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2021-10-13 12:17:14
%: 0.0000 - 0.2000	GS: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Chelating agent
HAZARD TYPE	AGENCY AND LIST TITLES	V	VARNINGS	
MUL	German FEA - Substances Hazardous Waters	s to Class 2 - Hazard to		) Waters
SUBSTANCE NOTES:				

POTASSIUM SULFATE ID: 7778-80-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-13 12:17:15

%: 0.0000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Accelerator

ID: 400 07 0

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

UNDISCLOSED CHEMICAL ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-13 12:17:16

%: 0.0000 - 0.1000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Adhesive

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance. 5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-13 12:17:16

%: 0.0000 - 0.2000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Adhesive

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

MUL German FEA - Substances Hazardous to Class 2 - Hazard to Waters

Waters

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance. 4

CALCIUM SULFATE DIHYDRATE ID: 10101-41-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-13 12:17:19

%: 0.0000 - 97.0200 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

FIBERGLASS ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-13 12:17:17

%: 0.0000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

BORIC ACID ID: 10043-35-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	ATE: 2021-10-13	3 12:17:18
%: 0.0000 - 1.0000	GS: <b>LT-1</b>	RC: None	NANO: <b>No</b>	SUBSTANCE RO	LE: Tensile strength additive
HAZARD TYPE	AGENCY AND LIST TITLES	,	WARNINGS		
END	TEDX - Potential Endocrine Disruptor	s	Potential Endo	ocrine Disruptor	
REP	EU - SVHC Authorisation List		Toxic to repro	duction - Candida	ate list
DEV	MAK		Pregnancy Ris	sk Group B	
REP	EU - Annex VI CMRs		Reproductive	Toxicity - Categor	ry 1B
MUL	ChemSec - SIN List		CMR - Carcino	ogen, Mutagen &/	or Reproductive Toxicant
REP	EU - SVHC Authorisation List		Toxic to repro	duction - Prioritize	ed for listing
END	EU - Priority Endocrine Disruptors		Category 1 - Ir Activity	n vivo evidence of	f Endocrine Disruption
REP	EU - GHS (H-Statements)		•	damage fertility. active toxicity - Ca	May damage the unborn ategory 1A or 1B]
REP	GHS - Japan		H360 - May da reproduction -		the unborn child [Toxic to
REP	GHS - Australia		•	damage fertility. active toxicity - Ca	May damage the unborn ategory 1A or 1B]
SUBSTANCE NOTES:					

GLUCOSE ID: 50-99-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	y HAZARD SCREENING DATE: 2021-10-13 12:17:18			
%: 0.0000 - 1.0000	GS: <b>BM-3</b>	RC: None	NANO: No	SUBSTANCE ROLE: Accelerator	
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS		
None found			No warn	ings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-3 was provided through the HPD 2.2 Builder Tool.

AMMONIUM SULFATE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-13 12:17:13

%: 0.0000 - 1.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Accelerator

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES:

CALCIUM LIGNOSULFONATE ID: 8061-52-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-13 12:17:19

%: 0.0000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Dispersant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

WATER ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-13 12:17:20

%: 0.0000 - 1.0400 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-4 was provided through the HPD 2.2 Builder Tool.

VERMICULITE ID: 1318-00-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-13 12:17:23

%: 0.0000 - 3.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Flame retardant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

UNDISCLOSED CHEMICAL ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-13 12:17:24

%: 0.0000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Surface modifier

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance. 2

UNDISCLOSED CHEMICAL ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-13 12:17:24

%: 0.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance. 1

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD SCREENING DA		EENING DATE:	E: 2021-10-13 12:17:25	
%: Impurity/Residual	GS: <b>BM-1</b>	RC: None	е	NANO: No	SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES		WA	RNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carc			sinogen	
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route				
CAN	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)			
CAN	MAK		Carcinogen Group 1 - Substances that cause cancer in man			
CAN	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources			
CAN	IARC		Gro	oup 1 - Agent is	Carcinogenic to humans	
CAN	GHS - New Zealand		6.7	A - Known or pi	resumed human carcinogens	
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category			
CAN	GHS - Australia			50i - May cause egory 1A or 1B	May cause cancer by inhalation [Carcinogenicity - ory 1A or 1B]	

SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-1 was provided through the HPD 2.2 Builder Tool.

FLY ASH				ID: 68131-74-8
HAZARD SCREENING METHOD:	ZARD SCREENING METHOD: Pharos Chemical and Materials Library		REENING DATE:	2021-10-13 12:17:25
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No war	nings found on HPD Priority Hazard Lists



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

## **VOC EMISSIONS**

### **UL/GreenGuard Gold Certified**

**CERTIFYING PARTY: Third Party** APPLICABLE FACILITIES: All Facilities ISSUE DATE: 2020-03-

CERTIFIER OR LAB: UL

02-06

EXPIRY DATE: 2022-

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: ToughRock® Fireguard & Fireguard C Gypsum Board Certificate Number: 162848-420. Wall finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using a Classroom Environment with an air change of 0.82 hr and a loading of 94.60 m<sup>2</sup>; and are determined compliant in accordance with CDPH Standard Method V1.2-2017 using an Office Environment with an air change of 0.68 hr and a loading of 33.40 m<sup>2</sup>.



# **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available,

No accessories are required for this product.

# Section 5: General Notes

Georgia-Pacific worked with the HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

## MANUFACTURER INFORMATION

MANUFACTURER: Georgia-Pacific ADDRESS: 133 Peachtree Street, NE

Atlanta GA 30303, USA

WEBSITE: http://www.buildgp.com/georgia-pacific-gypsum

CONTACT NAME: Barry Reid, LEED AP BD+C TITLE: Business Development Marketing Manager

PHONE: 404-652-2782 EMAIL: bsreid@gapac.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

# **KEY**

# **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple **NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

## GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) NoGS No GreenScreen.

## **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

## Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

# **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.